

FORTUNE

2025

ENGLISH

COMPANY PROFILE

Established in 2011, Jiangsu Fortune New Material Technology Co.,Ltd is a national high-tech enterprise. The company is headquartered in Nantong, Jiangsu Province, with an 8,000m² production facility, and have a branch center with R&D and operation in Shenzhen, Guangdong Province. It has four subsidiaries responsible for China domestic B2B, overseas B2B, and Cross-Border B2C businesses, covering products design, R&D, production, sales, and after-sales service, forming a comprehensive trade and manufacturing system. The company's main business include home decoration, stationery & office supplies, and functional materials. Our clients span over 80 countries and regions worldwide, and we serve over 1 million end customers annually, with key markets in the United States, the European Union, Australia, and Japan.

With over a decade of experience in production and export, we are committed to innovation, sustainability, and products reusability. Through collaborations with numerous universities, we have obtained over 15 product patents. With advanced equipment, we have enough production capacity to fulfill various customized requirements. All of our products meet China national standards and are certified under ISO 9001:2015 Quality Management System, as well as international standards like EU REACH & ROHS regulations and American Society for Testing and Materials(ASTM).

By continuously adapting to customer needs and leveraging extensive international competition experience, we focus on providing innovative product solutions. We encourage our employees to showcase their expertise and enthusiasm while delivering exceptional customer service, which is key to earning recognition from industry experts and consumers worldwide.



COMPANY ADVANTAGE

- 1-stop procurement service
- Over 10 years of manufacturing and export experience
- 7x24h online sales consultation
- Serving over 80 countries and regions
- Over 1 million end consumers served annually
- Over 15 product technology patents
- Strict quality management system
- Stable and efficient supply chain system
- Sustainable business philosophy
- Flexible and efficient production capacity



SOCIAL RESPONSIBILITY

With the global warming of the 20th century and the improvement of living standards worldwide, privacy protection, sleep quality enhancement, and environmental conservation have become increasingly important. Since its inception, the Magidekor brand has been committed to offering environmentally friendly, energy-saving, privacy-protecting, light-blocking, and decorative solutions through window film products to major clients and consumers around the world. Our mission is to guide customers and consumers in using reusable, easy-to-install window film products while continuously promoting energy efficiency and emissions reduction, contributing to the realization of carbon neutrality for humanity.

Standard Width:17.5"(45cm) ; 24"(60cm) ; 36"(90cm); 42"(105cm) ; 48"(120cm)
Standard Length:6.5ft(2m); 10ft(3m); 13ft(4m); 16.5ft(6m); 26ft(8m); 33ft(10m)

NECESSARY TOOLS


- Knife
- Marker
- Spray Bottle
- Duster Cloth
- Squeegee



PRODUCT INSTRUCTIONS

- 1.Clean all residue, dirt, and fingerprints from window.
- 2.Measure window dimensions.
- 3.Cut film with sharp scissors, Oversize the film up to 1/2 inch on each side.
- 4.Separate window film from release paper/PET film.
- 5.Spray both the window and newly exposed side of film with soapy water before applying film to window.
- 6.Slide the film into position on window. Film should float on glass.
- 7.Lightly spray back of film and use squeegee or card to push bubbles to edges
- 8.Trim any excess film using razor against window's edge
- 9.If bubbles remain, spray film again and use squeegee again to remove remaining bubbles.
- 10.Towel away water from edges. This prevents water from seeping back into the film.





STATIC WINDOW FILM SERIES

HEAT CONTROL SERIES

Material Thickness:

PVC Static Film(0.15mm±0.01mm) + PET Release Film(0.04mm)/Release Paper(150gsm)

Features:

While ensuring window transparency, it effectively blocks the entry of UV rays. Particularly during hot summers, it helps save energy and reduce electricity costs.

PRODUCT COLORS



TECHNICAL DATA

Product Name/Test Data	VLR	VLT	UVR	UVT	IRR	IRT	CFL	IMR
Dark Grey Silver	16%	9%	95%	5%	79%	21%	LV.4	N.B
50% Silver	50%	20%	85%	15%	80%	20%	LV.4	N.B
85% Silver	85%	2%	99%	1%	97%	3%	LV.4	N.B
Brown Silver	30%	20%	85%	15%	72%	28%	LV.4	N.B
Light Green Silver	40%	15%	90%	10%	83%	17%	LV.3	N.B
Dark Green Silver	38%	14%	93%	7%	83%	17%	LV.2	N.B
Blue Silver	23%	18%	89%	11%	73%	27%	LV.2	N.B

The data shown above are average values obtained from tests. All data are believed to be correct but we don't give a warranty. With the condition, quality, and performance of a product there is a specific use or application.

FROST PRIVACY SERIES


Material Thickness:

PVC Static Film(0.18mm±0.01mm) + PET Release Film(0.04mm)/Release Paper(150gsm)

Features:

While ensuring window transparency, it effectively blocks the entry of UV rays. Particularly during hot summers, it helps save energy and reduce electricity costs.

PRODUCT COLORS



100% LIGHT BLACKOUT SERIES

Material Thickness:

All Back Color: PVC Static Film(0.18mm±0.01mm) + PET Release Film(0.04mm)/Release Paper(150gsm)

White/Black Color: PVC Static Film(0.20mm±0.01mm) + PET Release Film(0.04mm)/Release Paper(150gsm)

All White Color: PVC Static Film(0.22mm±0.01mm) + PET Release Film(0.04mm)/Release Paper(150gsm)

Features:

The Light Blackout window film can instantly darken the entire room, significantly improving the sleep quality of night-shift workers or babies during daytime.

PRODUCT COLORS



TECHNICAL DATA

Product Name/Test Data	VLT	UVR	IRR	Total Solar Energy Rejected
ALL BLACK	100%	100%	100%	30%
BLACK/WHITE	100%	100%	100%	55%
ALL WHITE	100%	100%	100%	55%

3D EMBOSSED SERIES

Material Thickness:

PVC Static Film(0.18mm±0.01mm) + PET Release Film(0.04mm)/Release Paper(150gsm)

Features:

We offer hundreds of design patterns for consumers, providing ample options to create a unique atmosphere for home or office spaces. Some patterns can even reflect a stunning rainbow effect when exposed to sunlight.

PRODUCT COLORS



PRINTED DECORATION SERIES

Material Thickness:

PVC Static Film(0.18mm±0.01mm) + PET Release Film(0.04mm)/Release Paper(150gsm)

Features:

The Printed Decoration Series transforms designs into infinity possibilities. It not only makes home spaces more vibrant but can also be used for seasonal displays or advertising in public spaces. Any pattern, design, or slogan you can imagine can be brought to life through printing.

PRODUCT COLORS






ANTI-EXPLOSION SERIES

Material Thickness: 2mil; 4mil; 8mil; 12mil + PET Release Film(0.02mm)

Features: Made of high-transparency PET material, our product ensures clear visibility after application while offering excellent shatter-resistant performance, effectively preventing glass fragments from scattering upon breakage. With a 99% UV-blocking capability, it not only enhances safety but also protects indoor furniture, reducing discoloration and aging caused by UV exposure, thereby extending the lifespan of furniture and appliances.



Thickness	VLT	IRR	Standard Film	UV Block Film	20Mints Initial Stripping Force (gf/inch)	24Hours Holding Force (gf/inch)
			UVR	UVR		
2Mil	85%	10%	15%	99.5%	500 ≤ F < 800	800 ≤ F < 1000
4Mil	85%	10%	15%	99.5%		
8Mil	85%	10%	15%	99.5%		
12Mil	85%	10%	15%	99.5%		

The data shown above are average values obtained from tests. All data are believed to be correct but we don't give a warranty. With the condition, quality, and performance of a product there is a specific use or application.



HEAT CONTROL | ONE WAY VISION SERIES

Material Thickness: 2mil + PET Release Film(0.02mm)

Features: While ensuring high light transmittance and excellent shatter-resistant performance, the product effectively blocks ultraviolet and infrared rays. Especially during hot summer months, it significantly reduces indoor temperatures, decreases air conditioning usage, and helps save energy costs and lower electricity expenses.

PRODUCT COLORS



TECHNICAL DATA

Product Name/Test Data	VLT	UVR	IRR	20Mints Initial Stripping Force	24Hours Holding Force	Shadow Factor	Total Solar Energy Rejected
				(gf/inch)	(gf/inch)		
45% Silver	55%	96%	55%	500 ≤ F < 800	800 ≤ F < 1000	0.50	57%
60% Silver	40%	50%	70%			0.64	42%
80% Silver	20%	75%	85%			0.80	23%
95% Silver	5%	88%	93%			0.92	9%
85% Black Silver	15%	79%	60%			0.75	27%
90% Black Silver	10%	90%	75%			0.80	24%
99% Black Silver	1%	99%	66%			0.89	13%
Light Blue Silver	20%	79%	78%			0.40	70%
Dark Blue Silver	17%	73%	78%			0.77	25%
Light Green Silver	15%	87%	82%			0.20	82%
Dark Green Silver	15%	80%	75%			0.79	23%
Amber Silver	20%	75%	77%			0.79	23%
Gold Silver	27%	73%	76%			0.77	25%
Red Silver	5%	95%	75%			0.86	16%
Purple Silver	3%	94%	79%			0.80	20%

The data shown above are average values obtained from tests. All data are believed to be correct but we don't give a warranty. With the condition, quality, and performance of a product there is a specific use or application.

1 MILLION FAMILIES SERVED
3.5 BILLION A4 PAPER SAVED
400,000 TREES PROTECTED

EACH YEAR!



SOCIAL RESPONSIBILITY AND MISSION

In our daily work, school, and life, we come into contact with various paper products. However, years of deforestation have led to air pollution, soil desertification, and the loss of wildlife habitats, bringing numerous natural disasters into our lives. To address this, we launched the HOMIDEK brand with the goal of designing and developing writing and magnetic products that serve as alternatives to paper, playing a key role in the office and educational sectors. Our mission is to encourage consumers to use recyclable office stationery, helping them stay more focused on work and study while maintaining an organized environment, and at the same time, reducing the environmental damage caused by long-term paper waste.

SOFT MAGNETIC WHITEBOARD SERIES

Material Thickness:
0.40mm Soft Magnet +0.10mm Dry Erase PET Whiteboard Film

Product Regular Size:
8.5"x11"(21.5cmx28cm); 8.5"x14"(21.5cmx35.5cm); 11"x17"(28cmx43cm);
13"x20"(33cmx51cm); 15"x23"(38cmx63.5cm)

Accessories Include:
Magnetic Eraser: 1 Piece
Magnetic Dry Erase Marker: 4 Pieces(Black, Red, Blue, Green)
Fine Tip: 1.0mm~1.5mm



SOFT MAGNETIC CALENDAR SERIES

Material Thickness:
0.40mm Soft Magnet +0.10mm Dry Erase PET Whiteboard Film

Product Regular Size: 11"x14"(28cm x 35.5cm)
Set A: Monthly Calendar
Set B: Meal Planner
Set C: Monthly Calendar + Meal Planner + To-Do List
Set D: Monthly Calendar + Weekly Planner + To-Do List
Set E: Monthly Calendar + Chore Chart+ To-Do List

Accessories Include:
Magnetic Eraser: 1 Piece
Magnetic Dry Erase Marker: 5 Pieces(Black, Red, Blue, Green, Orange)
Fine Tip: 1.0mm~1.5mm




SOFT MAGNETIC TASK LIST SERIES

Material Thickness:
0.40mm Soft Magnet +0.10mm Dry Erase PET Whiteboard Film

Product Regular Size: 4"x10"(10cm x 25.5cm)
Set A: To-Do List + Memo
Set B: Meal Planner + Grocery List + Inventory List + Memo
Set C: Chore Chart + Saving Tracker + Bill Tracker + Memo
Set D: Weekly Calendar + Habits Tracker + To-Do List +Memo

Accessories Include:
Magnetic Eraser: 1 Piece
Magnetic Dry Erase Marker: 4 Pieces(Black, Red, Blue, Purple)
Ultra Fine Tip: 0.5mm~0.7mm





SOFT MAGNETIC STICKY NOTES SERIES


Material Thickness:
0.40mm Soft Magnet +0.10mm Dry Erase PET Whiteboard Film

Product Regular Size: 3"x3"(7.6cm x 7.6cm)

Q'ty of Each Color:
Yellow: 5pcs; Green: 5pcs; Orange: 5pcs; Purple: 5pcs; Pink:5pcs; Blue: 5pcs

Accessories Include:
Magnetic Dry Erase Marker: 1 Piece(Black)
Fine Tip: 1.0mm~1.5mm

Product Shapes: Square; Heart Shape; Roundness; Hexagon; Flower Shape



SOFT MAGNETIC LABEL SERIES

Material Thickness:
0.40mm Soft Magnet +0.10mm Dry Erase PET Whiteboard Film

Product Regular Size: 1.2"x3.2"(3cm x 8.2cm)

Q'ty of Each Color:
Yellow: 10pcs; Green: 10pcs; Orange: 10pcs; Purple: 10pcs; Pink:10pcs; Blue: 10pcs

Accessories Include:
Magnetic Dry Erase Marker: 1 Piece(Black)
Fine Tip: 1.0mm~1.5mm


MAGNETIC DESK TOP WHITEBOARD SERIES

Main Material: Dry Erase Iron Whiteboard + Aluminum Alloy Frame & Post

Product Regular Size: 12"x16"(30.5cm x 40.5cm)

Accessories Include:
Magnetic Sticky Notes: 6 Pieces(Yellow, Green, Orange, Purple, Pink, Blue)
Soft Magnetic Monthly Planner: 1 Piece
Magnetic Eraser: 1 Piece
Magnetic Pins: 4 Pieces(Black, Green, Yellow, White)
Magnetic Markers: 8 Pieces(Black 3pcs, Red, Blue, Green, Purple, Orange)
Fine Tip: 1.0mm~1.5mm

Features: Double side dry erase surface, 360° Adjustable Aluminum Alloy Stand, Can be used standing or wall-mounted.




SOFT MAGNETIC 4 in 1 Graph Board

Material Thickness:
0.40mm Soft Magnet +0.10mm Dry Erase PET Whiteboard Film

Single Piece Size: 17.5"x17.5"(44.5cm x 44.5cm)
Full Size: 35"x35"(89cm x 89cm)

Accessories Include:
Magnetic Eraser: 1 Piece
Magnetic Pins: 5 Pieces(Blue, Green, Yellow, Red, Orange)
Markers: 3 Pieces(Black, Red, Blue)
Fine Tip: 1.5mm~2.5mm




SOFT MAGNETIC EDUCATION BOARD SERIES

Material Thickness:
0.40mm Soft Magnet +0.10mm Dry Erase PET Whiteboard Film

Product Regular Size: 17.5"x24"(44.5cm x 61cm)

Set A: Solid Figure Format
Set B: Note Pad Format
Set C: English Exercise Format
Set D: Graph Format

Accessories Include:
Magnetic Eraser: 1 Piece
Magnetic Pins: 5 Pieces(Blue, Green, Yellow, Red, Orange)
Markers: 3 Pieces(Black, Red, Blue)
Fine Tip: 1.5mm~2.5mm



SOFT MAGNETIC 2 IN 1 COACHING BOARD


Material Thickness:
0.40mm Soft Magnet +0.10mm Dry Erase PET Whiteboard Film

Single Piece Size: 17.5"x22"(44.5cm x 56cm) **Full Size:** 22"x35"(56cm x 89cm)

Set A: Basketball
Set B: American Football
Set C: Soccer
Set D: Hockey

Accessories Include:
Magnetic Eraser: 1 Piece
Markers: 3 Pieces(Black, Red, Blue)
Fine Tip: 1.5mm~2.5mm





SOFT MAGNETIC PIANO TEACHING BOARD


Material Thickness:
0.40mm Soft Magnet +0.10mm Dry Erase PET Whiteboard Film

Staff Size: 17.5"x47"(44.5cmx120cm)

Piano Key Size: 6"x23.5"(15.3cmx60cm)

Accessories Include:

- Magnetic Eraser: 1 Piece
- Markers: 3 Pieces(Black, Red, Blue)
- Fine Tip: 1.5mm~2.5mm



SOFT MAGNETIC KANBAN BOARD

Material Thickness:
0.40mm Soft Magnet +0.10mm Dry Erase PET Whiteboard Film

Product Regular Size: 3"x5"(7.6cm x 12.7cm)

Q'ty of Each Color:

- Bcklg: 1PC; IDEA: 1PC; TO DO: 1PC; DOING: 1PC; VERIFY: 1PC; DONE: 1PC
- Blank Blue: 9PCS; Blank Purple: 9PCS; Blank Yellow: 9PCS; Blank Red: 9PCS;
- Blank Orange: 9PCS; Blank Green: 9PCS

Accessories Include:

- Magnetic Markers: 4 Pieces(Black x 2, Red, Blue)
- Fine Tip: 1.5mm~2.5mm



SOFT MAGNETIC CAR SIGN SERIES

Main Material: 0.40mm Soft Magnet +0.10mm Outdoor Use PET Printed Film


**ALL THE SIZES & PRINTED INFORMATIONS
CAN BE CUSTOMIZED**



SELF ADHESIVE WHITEBOARD SERIES

INSTALLATION INSTRUCTIONS

1. Clean and dry the wall surface to ensure it's free of dust, dirt, and moisture.
2. Mark the desired position on the wall to prevent misalignment.
3. Peel back approximately 5 inches of the protective film from the adhesive side of the whiteboard, leaving most of the film intact.
4. Carefully attach the exposed adhesive section to the wall, aligning it as planned.
5. Use the included squeegee card to press and smooth the whiteboard onto the wall while gradually removing the remaining protective film.
6. Continue using the squeegee card to eliminate air bubbles and ensure the surface is smooth and even.
7. You're done! Take a moment to admire your perfectly installed whiteboard.



SELF ADHESIVE WHITEBOARD FILM SERIES

Material Thickness:
0.18mm Dry Erase PET Whiteboard Film + 0.05mm Removable Glue + 150gsm Release Paper

Product Regular Size:
2x3ft (60cmx90cm);
3x4ft (90cmx120cm); 3x6ft (90cmx180cm);
4x6ft (120cmx180cm); 4x8ft (120cmx240cm); 4x12ft (120cmx360cm)

Calendar Series Regular Size:
2x3f(60cmx90cm); 3x4f(90cmx120cm)

Accessories Include:

- Duster Cloth: 1 Piece
- Squeegee: 1 Piece
- Dry Erase Marker: 3 Pieces(Black, Red, Blue)
- Bullet/Chisel: 1.5mm~3.0mm



SELF ADHESIVE TRANSPARENT BOARD FILM SERIES

Material Thickness: 0.18mm Dry Erase PET Whiteboard Film + 0.05mm Removable Glue + 150gsm Release Paper

Product Regular Size:

2x3ft (60cmx90cm); 3x4ft (90cmx120cm); 3x6ft (90cmx180cm);
4x6ft (120cmx180cm); 4x8ft (120cmx240cm); 4x12ft (120cmx360cm)

Calendar Series Regular Size:

2x3f(60cmx90cm); 3x4f(90cmx120cm)

Accessories Include:

Duster Cloth: 1 Piece Squeegee: 1 Piece
Dry Erase Marker: 3 Pieces(Black, Red, Blue) Bullet/Chisel: 1.5mm~2.5mm

SELF ADHESIVE MAGNETIC WHITEBOARD SERIES

Material Thickness: 0.40mm Soft Iron + 0.10mm Dry Erase PET Whiteboard Film + 0.10mm(Removable Glue + PE Release Film)

Product Regular Size:

2x3ft (60cmx90cm);
3x4ft (90cmx120cm); 3x6ft (90cmx180cm);
4x6ft (120cmx180cm); 4x8ft (120cmx240cm); 4x12ft (120cmx360cm)

Calendar Series Regular Size:

2x3f(60cmx90cm); 3x4f(90cmx120cm)

Accessories Include:

Kanban Board: 3 Pieces(TO DO, DOING, DONE) Magnetic Pins: 3 Pieces
Duster Cloth: 1 Piece Squeegee: 1 Piece Marker Keeper: 1 Piece
Dry Erase Marker: 3 Pieces(Black, Red, Blue);
Bullet/Chisel: 1.5mm~2.5mm

SELF ADHESIVE MAGNETIC 4K PROJECTION WHITEBOARD SERIES

Main Material: 0.40mm Soft Iron + 0.10mm Dry Erase PET Whiteboard Film + 0.10mm (Removable Glue + PE Release Film)

Product Regular Size:


2x3ft (60cmx90cm);
3x4ft (90cmx120cm); 3x6ft (90cmx180cm);
4x6ft (120cmx180cm); 4x8ft (120cmx240cm); 4x12ft (120cmx360cm)

Calendar Series Regular Size:

2x3f(60cmx90cm); 3x4f(90cmx120cm)

Accessories Include:

Kanban Board: 3 Pieces(TO DO, DOING, DONE) Magnetic Pins: 3 Pieces
Duster Cloth: 1 Piece Squeegee: 1 Piece Marker Keeper: 1 Piece
Dry Erase Marker: 3 Pieces(Black, Red, Blue);
Bullet/Chisel: 1.5mm~2.5mm



OTHER MAGNETIC PRODUCTS



MAGNETIC FILE POCKET

Main Material:

Soft Magnet + PVC Sheet

Product Size:

L: 12"x9.45"x0.7"
M: 8.3"x6.5"x0.5"
S: 6.5"x4.7"x0.5"



MAGNETIC DISPLAY FRAME

Main Material:

Soft Magnet + Self Adhesive PVC Sheet

Product Size:

8.5"x11"
11"x17"



MAGNETIC PHOTO POCKET

Main Material:

Soft Magnet + PET Sheet

Product Size:

2.5"x3.5"
4"x6"
5"x7"



PRINTABLE MAGNETIC SHEETS

Main Material:

Soft Magnet + Printable Paper

Product Size:

8.5"x11"/A4



MAGNETIC CANVAS PANEL

Main Material:

Soft Magnet + Canvas Sheet

Product Size: 3"x3"

Product Shapes: Square; Heart Shape;
Roundness; Hexagon; Flower Shape



MAGNETIC BOOKMARK

Main Material:

Soft Printed Magnet

Product Size:

0.8"x2.35"x0.07"



MAGNETIC DESK CALENDAR

Main Material:

Thick Paperboard + Soft Iron + Dry Erase PET Whiteboard Film

Product Size:

Monthly: 9"x11.5"x3.2" Weekly:9"x11.5"x4"

Double Side Writing Surface: One side Monthly/Weekly,
another blank board

Magnetic Dry Erase Marker: 4 Pieces(Black, Red, Blue, Green)
Fine Tip: 1.0mm~1.5mm

WHITEBOARD ACCESSORIES PRODUCTS



MAGNETIC METAL PINS

Main Material:
Metal + N50 Magnets

Product Size:
Φ0.4"x0.7" (Φ11mm x 17mm)



MAGNETIC PLASTIC PINS

Main Material:
Plastic + N45 Magnets

Product Size:
Φ0.4"x0.7" (Φ11mm x 17mm)



MAGNETIC PINS

Main Material:
Plastic + Standard Magnets


Product Size:
Φ1.18"x0.35" (Φ30mm x 9mm)



MAGNETIC ERASER

Main Material:
Foam + Standard Magnets

Product Size:
2"x2"x0.6" (5cm x 5cm x 1.5cm)
1.7"x3"x0.6"(4.4cmx7.2cmx1.5cm)



MAGNETIC TRAY

Main Material:
Plastic + Standard Magnets

Product Size:
6"x1.7"x1.3"(15cmx4.2cmx3.2cm)



MAGNETIC HOLDER

Main Material:
Plastic + Standard Magnets

Product Size:
L:4.7"x1.6"x5"(8.3cmx4cmx12.7cm)
S:2.3"x1.1"x4.7"(5.9cmx2.8cmx12cm)



SQUEEGEE

Main Material:
Rubber Plastic + Felt

Product Size:
L: 3"x4" (7.5cmx10cm)
S: 2"x3" (5cmx7.5cm)



MARKERS

Main Color:
Black; Red; Blue

Fine Tip:
Bullet: 1.5mm - 2.5mm
Chisel: 1.0mm - 3.0mm



MAGNETIC MARKERS

Main Color:
Black; Red; Blue; Green; Purple;
Orange

Fine Tip:
1.0mm - 1.5mm



MAGNETIC MARKERS

Main Color:
Black; Red; Blue; Purple;

Ultra Fine Tip:
0.5mm - 1.0mm



PVC MAT

Main Material:100% polyvinyl chloride

PRODUCT REGULAR SIZE:

PVC Table Mat
60cmx60cm; 60cmx120cm;
80cmx80cm; 80cmx120c; 80cmx140cm;
90cmx90cm; 90cmx160cm; 90cmx180cm;
100cmx100cm; 100cmx160cm; 100cmx180cm
60cm-Rd; 90cm-Rd; 100cm-Rd ; 120cm-Rd

PVC Floor Mat

45cmx240cm; 45cmx300cm;
60cmx240cm; 60cmx270cm;
75cmx120cm; 90cmx120cm;
150cmx190cm; 150cmx240cm
180cmx180cm; 180cmx240cm; 180cmx300cm
180cm-Rd ; 200cm-Rd

FEATURES:

Made from 100% non-toxic, odorless raw materials. A wide variety of design options enhance the aesthetics of your table or floor. Once applied, the film lays perfectly flat on the surface. Its low shrinkage rate ensures a 100% fit for your table or floor. It is easy to clean and resistant to high temperatures. The film can be cut precisely into various shapes, even irregular ones, with machine precision. Each edge of the film is specially treated to effectively prevent users, especially children, from being injured by sharp edges.



Social Responsibility and Mission

In modern society, environmental protection has become a global concern. Our PVC table mats and floor mats are made from eco-friendly materials and, as odorless products, have gained support and recognition from consumers. They release no harmful chemicals during use, ensuring the health of users. Additionally, the products feature antibacterial and non-slip properties, providing a safe and comfortable user experience. PVC mats are used to protect everyday furniture and flooring, extending their lifespan, and we aim to prevent these mats from becoming a burden to consumers due to quality issues. Therefore, we strictly adhere to environmental standards in the manufacturing process to minimize environmental impact. Since the establishment of the Dekorhino brand, our intent has been to promote sustainable development in society through technological innovation and environmental protection initiatives.



PVC ESD TABLE MAT

Standard Thickness:

1.5mm; 2.0mm; 3.0mm; 4.0mm; 5.0mm (Diviation: Approx. ±0.15mm)

Thickness Composition:

Surface Layer: 0.5mm PVC ESD Wearing Layer; Middle Layer: Black PVC Film; Bottom Layer: 0.5mm PVC Conductive Layer

Standard Color:

Surface Layer: Green; Blue; Grey Surface Layer: Glossy; Matt

Standard Size:

Piece Size: W x 100cm; W x 120cm; W x 200cm; W x240cm; W x 300cm

Roll Size: 40cm | 60cm | 80cm | 100cm | 120cm | 150cm 【Width】 x 10m | 20m 【Length】

Products Advantage:

Anti-static | Wear-resistant | Easy to clean | Non-slip | Flexible installation | Convenient storage | Size flexibility | Wide application range

Application Scenes:

Suitable for environments requiring anti-static protection such as electronic factories, laboratories, clean rooms, assembly lines, etc.

It is also ideal for workplaces such as offices, personal workspaces, and hospitals.

Product Composition	100% PVC				
Thickness (ASTM D1593)	1.5mm	2.0mm	3.0mm	4.0mm	5.0mm
Weight (ENISO 229602)	2850g/m ²	3800g/m ²	5700g/m ²	7600g/m ²	9500g/m ²
Stiffness (ASTM D2240)	75PHR	85PHR	95PHR	100PHR	110PHR
Abrasion Resistance (ISO 4649)	0.02g/cm ²				
Surface Resistivity (IEC61340)	10 ⁶ Ω - 10 ⁹ Ω				
Bottom Resistivity (IEC61340)	10 ³ Ω - 10 ⁵ Ω				
Volume Resistivity (IEC61340)	10 ⁵ Ω - 10 ⁸ Ω				
Static Decay Time (FED TM 101)	≤0.1S				
Toxic (IEC62321-4)	ROHS				
Formaldehyde (ISO 17226)	--				



PVC ESD FLOOR MAT

Standard Thickness:

10mm; 15mm; 20mm (Diviation: Approx. ±1-2mm)

Standard Sizes:

Sheet Material: 45cm x 60cm; 60cm x 90cm

Roll Material [Width]: 45cm | 60cm | 90cm | 100cm | 120cm

Thickness Composition:

Surface Layer: 3mm PVC Anti-Static Wear-Resistant Layer

Middle Layer: EPDM Foam Layer

Bottom Layer: 2mm Conductive Layer



Product Advantages:

Anti-static | Fatigue relief | Wear-resistant | Easy to clean | Non-slip | Flexible installation | Convenient storage | Size flexibility | Wide application range

Application Scenes:

Suitable for environments requiring anti-static protection such as electronic factories, laboratories, clean rooms, assembly lines, etc.

It is also suitable for workplaces where long hours of standing work is required, such as offices, retail spaces, and medical facilities.



TECHNICAL DATA

Test Item	Surface	Bottom	Standard
Surface Resistance Value	10 ⁷ Ω - 10 ¹⁰ Ω	10 ³ Ω - 10 ⁵ Ω	GJB2007A-2009 SJ/T10694-2006 GB12158-2006
Volume Resistance Value	10 ⁷ Ω - 10 ¹⁰ Ω		
Static Voltage	< 50V ↓		
Static Decay Time	0.5S ↓		
Resilience	20%		ASTM D3574
25% Compression Strength	98kPa (Middle Layer)		ASTM 1056
Compression Set (Permanent Deformation)	20.5% (Middle Layer)		GT/T6669-2001
Toxic	ROHS		IEC62321-4
Formaldehyde	--		ISO 17226
Dielectric Breakdown Voltage	>1KV		GB/T1695-2005



SOCIAL RESPONSIBILITY AND MISSION

Since almost all of our products are derived from film material, we cannot deliver superior products to consumers without high-quality raw materials. Therefore, raw material quality management is critically important to us. The HOMITEX brand should stand as a mark of quality for consumers. At the same time, we will continue to develop and improve new products in response to the needs of customers in various sectors and company changes, striving to enhance our competitiveness within the industry.

PVC SOFT FILM

Thickness: 0.05mm - 5.0mm
Width: 2.2m Max
PHR: 20 - 65

PVC RIGID/SEMI RIGID FILM

Thickness: 0.05mm - 1.0mm
Width: 1.4m Max
PHR: 0 - 20

EVA/PEVA FILM

Thickness: 0.05mm - 0.50mm
Width: 2.4m Max

APPEARANCE CLASSIFICATION:

Transparent Film, Embossed Film, Opaque Color Film

ADDITIVE PERFORMANCE:

Non-Toxic, High Elastic, Mildew Proof, Cold Resistance, Fire Retardant, UV Treatment etc.

APPLICATIONS:

Tablecloth, Shower Curtain, Raincoat, Inflatable Toys, Folder etc.



CRYSTAL PVC FILM

FEATURES:

CRYSTAL PVC has excellent transparency low cohesion formula to avoid excessive adhesion of the film and facilitate unrolling.

APPLICATIONS:

CRYSTAL PVC use for side walls and oors for pergolas tents, vertical roll up curtains, vertical blinds, roll up curtains and pergolas, warehouses, false windows for gazebos, yacht tents.

TECHNICAL DATA

Composition	PVC			
	0.50mm	0.65mm	0.8mm	1.0mm
Thickness(ASTM D1593)	0.50mm	0.65mm	0.8mm	1.0mm
Weight(ENISO 229602)	650g/m ²	845g/m ²	1040g/m ²	1300g/m ²
Stiffness(ASTM D2240)	40PHR	42PHR	44PHR	46PHR
Standard Width	1.4m; 1.6m; 1.8m; 2.0m;			
Standard Length	30m/roll			
Breaking Strength(ASTM D882)	MD=220kg/cm ²		TD 200kg/cm ²	
Tear Strength(ASTM D1004)	MD=60kg/cm ²		TD=60kg/cm ²	
Elongation at Break(ASTM D882)	MD=320%		TD=300%	
Shrinkage Test(ASTM D1204)	MD=2.5%		TD=0.5%	
High Temp. Resistance(ISO306)	+60°C			
Low Temp. Resistance(ISO 4675)	-10°C/-20°C/-30°C			
UV Treatment(ISO 4892-3)	>500hours />1000hours			
Fire Retardant	B1 (CN)-GB/T 8624;NFPA (US)-701:2019			
	M2(FR)-NFP92-507;B1 (DE)-DIN 4102			

Remark:

The data shown above are average values obtained from tests. All data are believed to be correct but we don't give a warranty. With the condition, quality, and performance of a product there is a specific use or application.

JIANGSU FORTUNE NEW MATERIAL TECHNOLOGY CO.,LTD
#3-1, Shuangyi Industrial Zone(Xingren), #88 Fuyuan R.d,
Tongzhou District, Nantong 226300, P.R.China
T 86 513 55019068 F 86 513 55019078
W www.fortune-tec.com

SHENZHEN HOREE TECHNOLOGY CO.,LTD
Rm 907, Tower B, Ganfeng Tech. Bldg., #993 Jiaxian R.d,
Shenzhen 518100, P.R.China
M 86 187 5288 1808
W www.myhomidek.com www.magidekor.com